

Design Resources in Movement-based Design Methods: a Practice-based Characterization

ANONYMOUS AUTHOR(S)

Movement-based design methods are increasingly adopted to help design rich embodied experiences. While there are well-known methods in the field, there is no systematic overview to help designers choose among them, adapt them, or create their own. We collected 41 methods used by movement design researchers and employed a practice-based, bottom-up approach to analyze and characterize their properties. We found 17 categories and grouped them into five main areas: Design Resources, Activities, Delivery, Framing, and Context. In this paper, we describe these areas in general and then focus on Design Resources containing the categories of Movement, Space, and Objects. We ground the characterization with examples from empirical material provided by the design researchers and references to previous work. Additionally, we share recommendations and action points to bring these into practice. This work can help novice and seasoned design researchers who want to employ movement-based design methods in their practice.

CCS Concepts: • **Human-centered computing** → **HCI design and evaluation methods**; **Empirical studies in HCI**.

Additional Key Words and Phrases: Embodied Design, Bodystorming, Design Methods, Embodied Ideation Methods, Movement-based Design Methods

ACM Reference Format:

Anonymous Author(s). 2023. Design Resources in Movement-based Design Methods: a Practice-based Characterization. In . ACM, New York, NY, USA, 26 pages. <https://doi.org/XXXXXXX.XXXXXXX>

1 INTRODUCTION

Movement-based design methods have increasingly been adopted in several domains due to their capacity for providing early insights into the embodied experience of participating stakeholders [46, 63]. They can be used in multiple phases of a design project, ranging from sensitising exercises all the way to evaluation [37]. However, while some methods are known and documented, these are not always well-suited for the specific characteristics of a design project. One has to consider the requirements, goals, limitations and possibilities, context, available resources, and emerging contingencies; and when in the design process the methods may be used. Hence, designers must often adapt or create them ad hoc.

To provide guidance for designers in selecting, adapting or creating their own method, we worked towards a comprehensive characterization of movement-based design methods. The goal was to identify salient characteristics of the methods that influence their applicability in different contexts. To this purpose, we were interested in collecting and analysing methods that design researchers actually use in a specific context. Some of these were adapted from previously-known methods and some others were created from scratch. Through a series of workshops, we analyzed a total of 41 key movement-based design methods used in 12 interaction design projects. All of these were facilitated by the authors as part of an international movement-based design consortium. We characterized and classified the methods using a comprehensive thematic analysis with a bottom-up approach.

Permission to make digital or hard copies of all or part of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for components of this work owned by others than ACM must be honored. Abstracting with credit is permitted. To copy otherwise, or republish, to post on servers or to redistribute to lists, requires prior specific permission and/or a fee. Request permissions from permissions@acm.org.

© 2023 Association for Computing Machinery.

Manuscript submitted to ACM

53 We obtained 17 categories that encompassed the significant characteristics of our corpus. We grouped them into
54 five main areas: *Design Resources*, *Activities*, *Delivery*, *Framing*, and *Context*. Here we present the core considerations
55 related to each category and we focus on the discussion of the *Design Resources* area. We elaborate on its categories and
56 exemplify them with their use in the projects in the corpus, insights from the facilitators, and references to foundational
57 works.
58

59 This paper serves as an articulation of tacit knowledge from experts that use movement-based design methods in
60 their practices. The characterisation and the corresponding examples can function as a detailed map of considerations
61 and prompts for Interaction Design and HCI researchers and designers interested in integrating this kind of methods
62 into their practices.
63

64 2 BACKGROUND

65 Movement-based methods have been in the spotlight for some time now [7, 8, 36, 42, 46]. Many methods have been
66 proposed and have been welcomed by the Interaction Design and HCI communities. In the following, we briefly present
67 methods and strategies that emerged as important in the practice of partners in the consortium.
68

69 *Bodystorming* is a situated generative design method focused on generating multiple design ideas. In contrast to
70 brainstorming, bodystorming uses full-body engagement with objects, the space and other people to come up with ideas.
71 Several takes on bodystorming have been proposed, exemplifying how movement-based design methods are often
72 appropriated, adapted and tweaked to fit a specific design agenda and design process. For example, Oulasvirta et al. [42]
73 focus on carrying out ideation sessions in the very context in which designs will be used. Schleicher et al. [46] articulate
74 bodystorming as three approaches: prototyping using enactment; physically emulating the spatial environment in which
75 technology will be used to generate/evaluate ideas in context; and employing actors and props to play out expected use
76 case scenarios. Márquez Segura et al. [36] advanced bodystorming for movement-based interaction as a generative
77 strategy to develop ideas from scratch, emphasizing its playful and participative components. Turmo Vidal et al. [55]
78 introduced *Sensory Bodystorming*, which bridges bodystorming and material ideation approaches. This method uses
79 non-digital materials and objects with different sensory qualities to foster exploration and ideation of sensing/actuating
80 possibilities. Finally, Weijdom [62] proposed *Performative Prototyping*, which combines bodystorming methods and
81 *Wizard of Oz* techniques with a puppeteering approach in collaborative mixed-reality environments. They leverage
82 both somaesthetic and dramaturgical perspectives, the former as being *inside-out* and the latter *outside-in*.
83

84 Schiphorst [45] contended for the importance of somatic facilitation during a technological design process and
85 named it as the practice of *Somatic Connoisseurship*. The careful and trained focus on the lived experiences in the body
86 can enrich the design space in Interaction Design and HCI [45]. Relatedly, *Soma Design* refers to a design process that is
87 holistic and builds upon the ideas of *Somaesthetics* [19]. It connects sensations, feelings, emotions, and subjectivity
88 in participants' bodies and aims to examine and improve them [19, 52]. These frameworks emphasize introspection,
89 slowness, increased awareness, and the use of sensitizing and body maps. On a similar note, *Embodied Sketching* [37]
90 encompasses movement-based ideation practices that harness a combination of physical engagement in the surrounding
91 context with play and playfulness to elicit a creative mindset. This context includes the social and spatial settings along
92 with digital and non-digital artefacts, which are catalyzers of engagement and idea generation.
93

94 *Estrangement*, which refers to the process of turning “the familiar” upside-down and making it unfamiliar, is also
95 a common resource. Wilde et al. [63] analyze the use of estrangement as a powerful approach in embodied design
96 methods. Estrangement can be used to inspect and experiment with already-known practices, movements and actions,
97 causing a *disruption* that makes the familiar tangible or visible. Estrangement can be used to arrive at new kinds
98 of
99

of movements, objects or design concepts [63]. With *Moving and Making Strange*, Loke and Robertson [23] centres bodies and movement in the design process using a choreographic approach. It foregrounds the use of choreographic strategies, e.g. explorations of variations of movement qualities—such as speed and direction—as possible ways to defamiliarize everyday movements and arrive at interesting interaction possibilities. The method emphasizes the first-person perspective of the mover, alongside the third-person perspectives of the observer and machine. Relatedly, Bell et al. [5] also contend for the use of estrangement to open design spaces, specifically in the context of the design of home appliances. Estrangement is an important component of *Soma Design* [19], as evidenced by how it was included by Tsaknaki et al. [52] in their *Soma Design* curriculum.

Role playing as a method involves deliberately assuming a character role and playing out a more or less defined scene or script, with or without props [47]. It can be used throughout the whole design process: to discover and identify issues to solve; to observe and understand the design context and target users; to generate new ideas; to evaluate them; and to communicate them. *Informances* [8, 47] are an example of role-playing which combine performance, scenario-based design, and *Wizard of Oz* to simulate and improvise future generative-oriented situations with future technology. In *Informances*, simple props are often used to simulate and recreate the technology and key contextual elements of the scenario. A more elaborate form of role-play is *Larping*—Live Action Role Playing—, which involves complex and well-crafted simulations, character descriptions, narrations and strategies for representation [34]. It has the potential to cultivate deeper connections between participants and their characters and can be used as a sensitizing activity or as a stage for testing and evaluating design concepts and prototypes [34].

Other methods that are used as references and inspiration are *Service walkthrough* [6] and *Interaction Relabelling* [12]. Even though these are not originally proposed as movement-based design methods, they similarly entail physical engagement with artefacts and the environment. Additionally, they are cited by others Bell et al. [5], Loke and Robertson [23], mentioned above. *Service walkthrough* [6] is a design technique that facilitates and guides the physical representation and enactment of service moments or stages to prototype/evaluate them. While the entire service journey is walked through, feedback can be gathered as a whole process or in each journey moment/stage. *Interaction Relabelling* [12] supports the ideation process of novel forms of interaction with electronic devices by asking to use an existing product simulating to be the intended design. Interactions are mapped and evaluated. When the products are quite different to the intended designs, they may lead to creative ideas/concepts.

Finally, a common physical resource employed in several movement-based design methods is paper cards. These are used to provide descriptions and instructions [30], to aid in ideation/reflection [51], as a documentation tool of design constructs in workshops [44, 56], or as rule facilitators of body play [27].

2.1 Related work

Besides these known methods and approaches, previous works have addressed the need for a comprehensive framework to understand, describe and appropriate movement-based design methods. Andersen et al. [1] analysed 23 methods in seven articles and constructed a typology for movement-based design methods. This typology consists of seven foci: *Sensing*; a *Playful* approach; an *Experimental* approach; *Props, Artifacts and Technology*; *Enactment*; *Social Interaction*; and *Specific Context*. Simultaneously, they classified the methods regarding the design stage in which they were used: *Divergent*, *Explorative* or *Convergent* stage. We argue that a limitation of their approach is that methods are pigeonholed to a specific focus and thus it can be difficult to see how they actually benefit from the seven found dimensions. Additionally, it is not straightforward to use the classification to implement one's own methods. In our paper, the

157 categories are not exclusive and therefore reflect several methods at the same time. Further, we make the categories in
158 Section 5 actionable by providing recommendations and considerations for the reader.

159 Two works mentioned earlier focused on a single yet powerful dimension as their starting point for the analysis
160 of embodied design methods. Wilde et al. [63] proposed and used a framework to analyze Embodied Design Ideation
161 methods with a focus on *estrangement*. They ask what is being done to cause a *disruption*, what is *destabilized* by this
162 disruption, what *emerges* from the process, and what is *embodied*, e.g. made tangible/visible from doing it [63]. They
163 used this framework to analyze eight embodied design methods. Alternatively, Loke and Robertson [23] focused on
164 the first-person perspective of the person in movement and from there proposed a design methodology based on a
165 whole set of choreographic tools and grounded in prior interactive design projects from the same authors. In contrast,
166 we followed a bottom-up approach to map the characteristics of a larger corpus of movement-based design methods
167 employed in several interaction design projects in an international design research consortium. Our aim was to obtain
168 a set of general categories that would allow describing elements in play before and during the implementation of these
169 methods in practice.
170
171
172
173
174

175 3 METHODOLOGY

176

177 We worked with design researchers from six institutions participating in an international Erasmus+ project focused
178 on movement-based design methods. They facilitated the interaction design projects that constitute our original data
179 corpus, by writing reports of the movement-based design methods used for the different stages of their design processes.
180 For each technique, they reported its description, account of logistics and facilitation, benefits and outcomes, and
181 reflections.
182

183 The process of building this paper consisted of the following steps: (1) Facilitators reported on movement-based
184 methods used in practice in their own projects. 12 projects were reported, each using between one and seven methods.
185 This built a corpus of 41 descriptions of movement-based design methods. Table 1 summarizes this corpus of projects
186 and movement-based design methods, along with the shortcodes used to refer to them throughout the discussion. The
187 projects are ordered in descending order by the amount of movement-based design methods they contributed to our
188 corpus; (2) The first four authors labelled these methods according to salient features and characteristics; (3) The same
189 four people, plus the last author, categorised the resulting characteristics using a bottom-up approach; (4) Two (first
190 and second) authors refined the categorization and obtained meaningful subcategories; (5) Four (first, second, third,
191 and last) authors grouped these categories in areas and selected the one to elaborate on; (6) Facilitators were asked to
192 comment on categories and results, and provide more and illustrative details to articulate them.
193
194
195
196
197

198 3.1 Characterization

199

200 This process was performed by the first four authors. We printed the reports of methods on big sheets and arranged
201 them on the floor of a closed space. For method characterization we used sticky notes, where we wrote sentences or
202 individual concepts that best described them. We tagged them with their corresponding project and method names.
203 This approach aimed to gather insights bottom-up. Thus we did not come into the process with preconceived categories
204 or specific aspects to look out for. We made sure that at least one embodied design expert covered each technique, and
205 also that every technique was characterized by at least two people.
206
207
208

Project	Method	Code
ACHIEVE	Somaesthetic Field Trips	<i>Ach1</i>
	Body scan and body mapping (somaesthetic)	<i>Ach2</i>
	Generative bodystorming	<i>Ach3</i>
Design of a playful interactive supermarket environment for children to foster a transition to healthier and more sustainable food consumption.	Role-playing and improvisation	<i>Ach4</i>
	Online re-enactments	<i>Ach5</i>
	Puppeteering	<i>Ach6</i>
	Wizard of Oz + Informances	<i>Ach7</i>
KOMPAN Workshop	What can I do with this?	<i>KOM1</i>
	Video sketching	<i>KOM2</i>
Concept ideation for outdoor fitness equipment for playful fitness training. Participation of students along with designers from the playground company.	Play moods and quality cards	<i>KOM3</i>
	Explore the movement aspect	<i>KOM</i>
	Action mock-up	<i>KOM5</i>
	Play in context	<i>KOM6</i>
Astaire [36, 37, 64]	Warm-up games	<i>Ast1</i>
	Playing off-the-shelf VR and MR games	<i>Ast2</i>
Design of a collocated Mixed-Reality dance game for two players: one inside and the other outside VR.	Embodied exploration and Bodystorming with the affordances of MR	<i>Ast3</i>
	Embodied exploration and Bodystorming with off-the-shelf VR games	<i>Ast4</i>
	Embodied explorations to fine-tune the game	<i>Ast5</i>
Super Trouper [35, 36, 38–40, 54, 55]	Warming-up to Introduce and Sensitize Participants to Tech and Exercises	<i>SuT1</i>
Development of methods for training body awareness and control in children with mild motor difficulties combining circus training and interactive technology.	Training sessions turning into Participatory Embodied Sketching	<i>SuT2</i>
	Bodystorming with Experts	<i>SuT3</i>
	Bodystorming with Cards	<i>SuT4</i>
Magic outFit [22, 37, 50]	Dynamic body maps + keyword to characterise energising moments	<i>MoF1</i>
Design of wearable technologies for sensorial changes of body perceptions to support physical activity.	Barriers to physical activity cards	<i>MoF2</i>
	Somatic dress-up for movement and sensation awareness	<i>MoF3</i>
	Brainstorming based enactment	<i>MoF4</i>
Sense2MakeSense	First-person sensorial exploration + idea materialization of data representations	<i>S2M1</i>
Explorations in opening the design space of immersive multisensorial data representation.	Dolls to facilitate “feeling and acting like” your persona	<i>S2M2</i>
	Body and sensory cards to inspire ideation on how	<i>S2M3</i>
	Videoprototype to capture design and scenario	<i>S2M4</i>
LearnSPORTtech [35, 53, 56]	Embodied explorations of technology use	<i>LS1</i>
Design of wearable technology to support sports and fitness practices through sensory feedback.	Technology Sensitization	<i>LS2</i>
	Sensory Bodystorming	<i>LS3</i>
Tangibles [57, 58]	Field studies and short ethnography	<i>Tan1</i>
Co-design for upper limbs therapy for children with Cerebral Paresis employing interactive tangibles.	Interaction relabelling applied in co-design	<i>Tan2</i>
	Acting out movements	<i>Tan3</i>
DigiFys [3]	Long-term play engagement intervention in outdoor play	<i>DiF1</i>
Research in children’s outdoor play and development of interactive installations to support it.	Short-term play engagement intervention in outdoor play	<i>DiF2</i>
Diverging Squash [24]	VR Bodystorming	<i>DiS1</i>
Single-player VR game inspired by racket ball.		
GIFT [60]	Sensitising towards human practices	<i>GIF1</i>
Museum experiences enriching physical exhibitions with digital content on smartphones.		
Online Course in Embodied Interaction [61]	Online Bodystorming	<i>OEI1</i>
Course in Embodied Design adapted to be taught online during the COVID-19 pandemic.		

Table 1. Characterized Projects and Methods. Acronyms: VR refers to Virtual Reality and MR to Mixed Reality.

3.2 Categorization


Once we had the sticky notes as working material, the first four and the last authors gathered for a big initial categorization session lasting over 3 hours in a 50m² room. This happened collaboratively, on-site, and preserving the bottom-up approach. We arranged the sticky notes in the space, placing them randomly all over half of the room

261 floor, independent from other notes from the same technique or project. Note that a small and relatively cryptic code
 262 was used in the notes to later be able to trace them back to their respective method/project. Then, we proceeded to
 263 simultaneously traverse the space, reading and surveying the notes, looking for patterns/similarities between notes.
 264

265 As this activity continued, new categories started to emerge. We grouped relevant notes in particular areas of the
 266 space and made the group aware of their existence—e.g. “there’s a group about Objects is in this area!”—, to which the
 267 rest responded by bringing relevant notes under their radar. During the process, these clusters would transform, grow,
 268 get divided into subcategories, or be integrated as subcategories of others. Interconnections with other categories were
 269 also drawn either through making use of proximity to indicate their closeness or through colour threads indicating
 270 relations between notes and categories. Finally, we documented the resulting map of categories with pictures. We had a
 271 debrief session to talk about the experience and our insights during the process, concluding that some categories still
 272 needed revision and further connection with relevant others.
 273

274 Next, the first and second authors performed subsequent categorization sessions, revising big, unfocused, or complex
 275 categories at the level of notes, finding overarching categories and their relations to each other, and deepening and
 276 refining the findings from the first big session. This allowed for an increased level of detail, finding clusters within
 277 categories, merging clusters that were closely related, naming and revising the names of clusters, and surfacing
 278 interconnections. Further, subsequent sessions were needed to trace back which methods/projects were involved in
 279 each category. In the end, 17 categories emerged from this process, which we introduce in the next section 4.
 280

283 4 CATEGORIES



304 Fig. 1. Overview of the areas, categories and sub-categories found.

307 A total of 17 main categories emerged from the 41 movement-based design methods reported by the facilitators of 12
 308 movement-based interaction design projects. We grouped them into five areas: *Design Resources*, *Activities*, *Delivery*,
 309 *Framing*, and *Context*. These categories and groupings are not orthogonal, meaning it is possible for several of them to
 310 characterise a given method or project.
 311

4.1 Design Resources

This is the main emerging group of categories, on which we will focus in this paper. The group contains *Movement* (5.1), *Space* (5.2), and *Objects* (5.3). In the next section 5, we will elaborate on them, describing, discussing and exemplifying each category and sub-category, and proposing action points grounded in the insights we found. For the sake of space and scope, in the rest of this section, we will only briefly introduce the rest of the emerging categories.

4.2 Activities

Activities contained *Design Phase*, *Methods*, *Acting Out*, *Sensorial exploration*, and *Crafting*.

4.2.1 Design Phase. We found that movement-based methods were used across different *Design Phases*. They helped not only in *Sensitizing* and *Inspiration* but also in the *Iteration* and *Evaluation* stages of the design process. As such, they were adopted for the *Divergent* and *Convergent* phases of the design process. Additionally, some of the projects leveraged existing *Technologies* during these activities.

4.2.2 Methods. We categorized under *Methods* several references to already-existing design and research methods. Regarding *Research*, we found some references to field studies and ethnography. With respect to design, we found several references to “classical” *Interaction Design* techniques like (1) brainstorming, (2) scenarios and personas, (3) participatory design, (4) wizard of oz, and (5) puppeteering. Additionally, there were mentions to already existing *Embodied Design* and movement-based methods, especially the use of *embodied sketching* [37] and *bodystorming* Márquez Segura et al. [36], Oulasvirta et al. [42], Schleicher et al. [46], Turmo Vidal et al. [55]. We identified *Warm-up* techniques across projects, as an important component of embodied methods.

4.2.3 Acting Out, Crafting and Sensorial Explorations. *Acting Out*, *Crafting*, and *Sensorial Explorations* were types of activities used frequently across projects and methods. Methods in our corpus used enactment to come up with, materialize, and iterate design ideas, or as part of a convergence process. It allowed participants to flesh out, experience and see key action sequences. Role-playing was used to iterate ideas in the following ways: by testing ideas within a particular situation and adjusting it iteratively; tapping into human-like interactions, e.g. exploring different social roles; or by filtering and indicating improvements. It was also used to achieve joint sense-making as a group and to share ideas. Role-playing was mostly reported to be done in combination with improvisation. Classical interaction design methods like *Wizard of Oz*, and in particular those focused on enactment like *Informances*, were quite present as references and inspiration.

Crafting was adopted to create prototypes of interactive experiences, controllers and costumes while making use of readily available materials. We grouped under *Sensorial Explorations* notes regarding activities aimed towards increasing awareness of specific sensing modalities like vision, hearing or touch, either individually or in the form of multisensory feedback. They were used to inspire/iterate designs, and typically made use of bodystorming—particularly sensory bodystorming [55]—using physical probes with characteristic tactile and sound qualities.

4.3 Delivery

Delivery contained the categories of *Facilitation*, *Planning and Logistics*, and *Documentation*.

4.3.1 Facilitation. As part of the *Facilitation* category, we obtained the following list of *Facilitation Tasks* described and utilized across several projects: (1) Arranging the meetings, (2) Curation of materials (objects, references, words) to use

and explore, (3) Creation of a safe creative space, (4) Communication of activities, (5) Time tracking, (6) Supporting flow of ideas, (7) Suggesting possibilities/alternatives, (8) Encouragement of participation, (9) Monitoring of energy and engagement levels, (10) Balancing between playfulness and goal-oriented mindsets, (11) Guiding and demonstration of actions, (12) Guiding of discussion and reflection, (13) Lightweight documentation, (14) Providing Safety measures.

Additionally, we found several mentions of having a pre-defined set of *Instructions* or rules for the facilitators and/or the participants to follow. These allowed a fluent development of the activities because (1) they promoted a clear sequence of events, (2) they allowed to focus on specific creative guidelines, (3) they helped to coordinate when facilitators were part of the process, (4) and they helped facilitators to feel more confident during the process.

Regarding the involvement of the facilitators, there was a variation in the required *level* that was reported for each method in our corpus. Noteworthy, methods that used digital technologies reported needing more time, energy and resources. Finally, we found some reflections that considered the context of the *Participants* of the design methods, either as a target audience or as designers in the project. The projects prioritized the accommodation of different participant backgrounds, abilities, needs and limitations. We found these considerations in relation to physical movement and also to the use of digital technologies. Methods in which *experts* were participants, tended to emphasize co-creation with them. It was apparent how their skills and knowledge were leveraged, for example by providing detailed feedback, developing/introducing technologies, or guiding somatic and movement-based activities.

4.3.2 Planning and Logistics. An important complement to facilitation is the category of *planning and logistics*, where we found and grouped considerations and reflections regarding the following: (1) activity preparation: selection of methods, scripting of the sequence of events for the sessions, requirements listing; (2) preparation of resources like props and cards, e.g. by designing, printing, obtaining, arranging, and carrying them; (3) management of space/time for the activities; (4) setup and use of digital technologies, experiences and/or assets, (5) preparation and deployment of documentation strategies and equipment..

Methods varied in the *Involvement Level* they required for planning and logistics. A low involvement level occurred when there was a low requirement for resources, when these resources were easily available, when the facilitators or participants had high expertise, or when the activity had relatively low stakes. Conversely, methods that used complex technologies and setups like Virtual or Mixed Reality experiences, or methods that used several ad-hoc elements, like custom-made cards or body maps, reported requiring considerable effort in planning and logistics.

4.3.3 Documentation. We found that Documentation of activities was an important component in the Delivery of the movement-based design methods we analyzed. In this category, we grouped considerations regarding *Data collection* in general, and the use of *Video* and *Body Maps* in particular. Video recording was leveraged not only as a way to have an archive of evidence to evaluate after the activities but also as a creative medium for participants to prototype their ideas. Body Maps were adopted several times for participants to observe and communicate their body states, sensations or wearable prototypes across stages of the activities and design process.

4.4 Framing

Framing contained *Play* and *Perspectives*.

4.4.1 Play. Under the *Play* category, we grouped categories regarding playfulness, fun, and game design. Several projects had *Playfulness* either as a design goal or as a resource to instigate engagement and curiosity. Similarly, a few projects involved the concept of *Fun* as a goal or as a resource within their design methods. One way of fostering

417 fun was to include pre-existing *Movement-based games* in the design activity. Finally, we found that some projects
418 focused their movement-based methods on playing with and exploring, ideating and iterating key actions that were
419 envisioned to be at the core of the designed activity. We related these to core mechanics in *Game Design* and embodied
420 core mechanics in play(ful) activity-centric design [31, 59].
421

422 **4.4.2 Perspectives.** The perspective participants would take in relation to the target audience would emerge as an
423 important consideration. We found methods that worked from a *first, second or third-person* perspective, and even some
424 that combined them [49]. This category also covered users' perspectives, which were strongly related to the target
425 group of the design, specifically *Children*, which were supported using several techniques with technology (e.g. using
426 perspectives in VR in Ach) and without. Finally, a subcategory related to including first- and third-person perspectives
427 shifts using *Physical Models*, like toys as well as enactment using the participant's bodies.
428
429

430 4.5 Context

431
432 Lastly, the four categories contained by *Context* were *Starting Points, Goals, Challenges, and Outcomes*. These were notes
433 that related very specifically to the projects we studied in their motivations and results. It is worth noting that the
434 range of possible *Goals* for projects and the movement-based methods they used included the following: understanding;
435 reflection; focus; embodied core mechanics; and changes in physical activity, behaviour or self-perception. Finally, some
436 common *Challenges* faced during these methods and projects included social and ethical concerns, levels of expertise
437 in relevant areas, the management of engagement during activities, and the use of VR together with all its technical
438 requirements.
439
440

441 5 DESIGN RESOURCES

442
443 We found three main categories that we grouped as *Design Resources: Movement (5.1), Space (5.2) and Objects (5.3)*. We
444 describe and exemplify the sub-categories that compose them. Even though categories and sub-categories emerged
445 from notes originating in specific projects and methods, we sometimes include applicable and relevant examples from
446 other sources in the corpus. In section 6 we elaborate on a list of actionable recommendations for each one of them.
447
448

449 5.1 Movement

450
451 *Movement* was pervasive throughout all the techniques in the portfolio since methods in our empirical material were
452 precisely chosen on the basis of their prominent use of movement. Yet a distinctive movement category still emerged
453 encapsulating important body and movement aspects at focus: *movement qualities (5.1.1), body parts (regions) involved*
454 *(5.1.2), and physical contact(5.1.3); strategies and external elements that supported movement: moving with objects*
455 *(5.1.4), and constraints (5.1.5); particular considerations and strategies when working with instrumental movements*
456 *(5.1.6), which are common in domains such as training and rehabilitation; and benefits of using movements, such as*
457 *engagement (5.1.7).*
458
459

460
461 **5.1.1 Qualities.** Methods focused on experiencing, exploring, understanding, and working with particular *movement*
462 *qualities*, such as movement trajectory, tension, or pace. *Movement Qualities* initially emerged as a sub-category from
463 notes regarding the *Sense2MakeSense* project as a whole, and the methods *Ast4, LSt1, S2M3* in particular. Some other
464 activities centred on working with a particular *focus of attention*, which was often related to the sensory and body
465 experience in relation to the self, others, and the surrounding space. Body orientations in relation to the space and others,
466 and proxemics. *Body orientations* and *proxemics* [9, 17, 21] are physical, social, and cultural resources of action that can
467
468

469 be useful in the design of technology—see for example the work by Marquardt and Greenberg [25], Márquez Segura
470 et al. [32]. We found them to be a focus of activities along with bodily and proprioceptive sensations.

471 Common in all the projects is that movement aspects and qualities were targeted in their future designed experience.
472 Methods focused on elucidating and experiencing these aspects first-hand to then obtain a seed to inspire subsequent or
473 concurrent ideation activities. An example of this is *DigiFys*, which first observed multiple children engaging in outdoor
474 play. Afterwards, they supported key actions and movement qualities experienced concurrently, as well as important
475 contextual elements supporting them, e.g.: pace and movement trajectory emerged as important qualities, which came
476 hand in hand with the children’s creation of multiple alternative play routes. Similarly, crawling was enjoyed by many,
477 which was supported by small spaces through which children passed [3].
478
479

480
481 **5.1.2 Body regions.** We found two main groups of methods regarding the body regions in movement: those that were
482 open to and instigated movement with the *whole body*—like *LSt3*, *S2M3*, or most of those from *Magic outFit*—and
483 those that prioritized the movement of *particular body areas*, specifically the upper limbs—such as *MoF1 S2M1*, *S2M2*,
484 *S2M3*, *Tan2*, or *Tan3*. *LearnSPORTtech* exemplifies whole-body involvement because the embodied explorations of the
485 technology in yoga had a strong focus on the limbs most relevant for an exercise, e.g.: alignment of the chest in relation
486 to the limbs in different yoga positions because that is often an indicator of the quality of the performance [53].
487
488

489 Regarding upper limbs movements, we found a couple of different cases. *Tangibles* involved activities related to
490 specific kinds of motor impairments that targetted the upper limbs. Alternatively, methods that focused on the movement
491 of upper limbs also involved some traditional design and research activities in IxD that are typically performed by
492 hand, e.g.: drawing, sorting cards, crafting. Some of these activities alternated between the use of the whole body and
493 specific regions. For example, in the *Sense2MakeSense* project, participants built a physical model of their prototype on
494 a reduced scale and used small toys to enact a scenario. They used their own bodies to capture and represent body
495 actions that were not able to produce by the toys. Hence, while these activities involved classical IxD activities, they
496 were used in a way that involved physical enactment.
497
498

499 **5.1.3 Contact.** Physical contact emerged as a subcategory of movement due to only one method, *Ast4* from *Astaire*
500 [64]. It was the only project that *explicitly* targeted social interaction involving physical contact. In fact, the design
501 researchers described physical contact both as a design target and a key aspect shaping the design process.
502

503 Nonetheless, physical contact was present in other projects. Physical contact is key in embodied design activities
504 even if the target activity does not focus on it, because the body becomes an essential design material, as in situations
505 when body-based technology is at focus, e.g. wearables. For instance, physical contact was used in the form of physical
506 collaboration and assistance to put on, modify, and adapt design materials and prototypes on the body. In the *Super*
507 *Trouper* project, instructors and researchers helped children put on the wearables and adapt them, e.g. adjusting or
508 creating new affixing systems, or putting them in a different place. In *Magic outFit*, participants helped one another
509 “dress up” like the persona they were trying to feel like and enact. Participants enacting a persona would request certain
510 sensations from other participants, who would facilitate them through physical contact and engagement —e.g. poking,
511 caressing, tapping, etc. Additionally, contact was used to conduct the target activity, which was often physical. For
512 example, in the *Super Trouper* project, instructors and researchers helped the children engage with the activities offering
513 support when needed, for example providing a hand for extra support when the children walked the tightwire.
514
515
516

517 **5.1.4 Moving with objects.** Many projects used *objects* as design resources and goals in their methods. Hence Objects
518 emerged as a whole category in its own right (see the *Objects* category (5.3)). We focus on the relationship between
519
520

521 objects and movement in doing and acting, as originally found in the *Ast3*, *KOM1*, *KOM* and *Tan2* methods. These
522 instances belonged to projects that had an emphasis on exploring possible movements done in combination with objects.
523 We found that wearables in *Magic outFit* were the design goal and objects were used to craft and simulate them. Objects
524 were used to explore the sensations they produced and whether they invited movement or supported self-awareness.
525 They allowed delving into other physical, cognitive, and emotional effects.
526

527 Objects were frequently used to explore, experience, generate and reflect on key physical and social actions [31]
528 of the intended experience and their effects on it. For example, in *Ast4*, designers used objects as props to explore
529 moving together with indirect physical contact, playing a variation of the Virtual Reality game *Audioshield* with two
530 players. One player used the head-mounted display and was thus inside VR while the other was outside. Players placed
531 themselves side to side (in an I formation position [32]), holding a controller in their outer hand and the end of a toy
532 golf club in the inner hand, closer to one another. The golf club connected them. The player in VR had to move and
533 guide the other player to score. This allowed design researchers to explore how this kind of movement made them feel
534 socially and physically, how it worked as a way to score, and how much they felt like dancing—a core design goal.
535
536
537
538

539 **5.1.5 Constraints and Superpowers.** We found several instances of movement explorations around constraints (limiting
540 poses, movements, and actions that would otherwise be feasible in a participant), and around what we called *superpowers*
541 i.e. poses, movements, and actions that a participant would not be able to do in principle. This category emerged from
542 the *Tangibles* project in general and the *Ast3*, *Ast4*, *DiS1*, *S2M2* and *Tan3* methods in particular.
543

544 Constraints were used as creative prompts, to explore and subvert possibilities tied to particularities of objects and
545 environments. For example, mainstream VR experiences tend to hijack the senses of the VR user—mostly vision, but
546 also touch, and hearing—and their presence from the physical space. *Astaire* worked towards subverting these trends
547 and exploring the design space of collocated mixed-reality play with a two-player dance game. Embodied explorations
548 in the design process involved constraining and providing access to senses, actions, and physical or virtual worlds [64].
549

550 Alternatively, constraints emerged from practical reasons due to instrumentality or because of the objects and
551 models used during the activity. *Tangibles* is an example of the former because the target rehabilitation exercises
552 required movements in specific directions. An example of the latter is *S2M2*, where Playmobil toys were used to enact a
553 scenario involving an immersive environment with multisensory data representation. The mobility of the toys imposed
554 constraints over the movements that could be explored from this third-person perspective. This was overcome through
555 first-person involvement, i.e. physically engaging with those actions the toys were unable to enact. This is linked to the
556 *Perspectives* category (4.4.2)
557
558

559 Over and above, several projects worked with exploring capacities, sensations, and possibilities beyond the partic-
560 ipant's current repertoire both in the physical and virtual worlds. In the physical world, *Magic outFit* used *MoF4*
561 to bodystorm how to mitigate and transform the current sensations of participants using external stimuli produced by
562 different objects. In the design of VR experiences, these explorations of possibilities of action turned to the extreme when
563 investigating “superpowers.” For example, in *Diverging Squash*, designers altered the physics of the VR world—gravity
564 and bounciness of a ball—to explore a new way of playing squash. In *ACHIEVE*'s methods *Ach3* and *Ach4*, designers
565 explored being a child both in the physical world through changing bodily stance and posture, and in the VR world
566 through changing the dimensions of the world in comparison to the participant's avatar. This is linked to the *Perspectives*
567 category (4.4.2) and resonates with previous works regarding changing individual and social perception and action, for
568 example, that of McVeigh-Schultz and Isbister [29].
569
570
571
572

573 5.1.6 *Instrumental domain*. While a free exploration of movement was pervasive throughout the projects in the
574 portfolio, some of them focused on particular *embodied core mechanics* [31] that were necessary for the user, like *Astaire*.
575 This happened in the context of application domains using movement instrumentally, like for training or therapy. In the
576 case of *Tangibles* in general, and *Tan3* in particular, researchers were interested not in the free exploration of movement
577 possibilities but in the recontextualization of specific, instrumental movements.

579 The design context in which a project was developed was often behind an explicit focus on instrumental goals. In
580 *KOMPAN Workshop* the objective was to make the physical fitness training more playful and thus more intrinsically
581 motivated. They were aiming for a combination of instrumentalized training parameters such as exertion, strength,
582 flexibility, coordination, motor skills, gravity, resistance, and power, combined with play characteristics. As another
583 example, projects in *LearnSPORTtech* focused on instrumental values of particular practices of training—such as yoga or
584 weightlifting— and targeted particular exercises within those practices.

587 5.1.7 *Engagement*. Participants typically engaged well with the movement-based design activities by involving their
588 bodies and frequently interacting with one another. In our empirics, participants tended to feel good and comfortable
589 with themselves and with one another, and there was usually high energy and a feeling of togetherness after embodied
590 design sessions. *Engagement* as a sub-category emerged from the general description of *Astaire* and *Magic outFit*, and
591 from the methods *MoF1* and *KOM1*.

594 The energy of the participants was carefully considered in several projects, alternating between higher and lower
595 energy activities, and activities involving the body in different ways. For example, in *Magic outFit*, co-designers carefully
596 interwove less physically and socially active activities with the main movement-based activities. In particular, more
597 reflective and quieter activities such as filling body maps or brainstorming using sticky notes were used as a way to
598 change focus—e.g. from recalling to acting, from acting to listening; from generating ideas, to documenting them; and
599 so on—, and to rest and recover energy. Consider that energy management is one of the facilitation tasks above (4.3.1).

602 5.2 Space

603 We found several considerations around the use of space, which could be either *physical* (5.2.1), *virtual* or a *hybrid* of
604 both (5.2.2). Additionally, we identified factors concerning the *delimitation* (5.2.3) and *room size* (5.2.4) of the space to
605 use during the development of the activity.

608 5.2.1 *Physical space*. In our corpus of data, projects used different types and scales of physical spaces. In some cases,
609 very specific and project-relevant places were used, often in instrumental domains (5.1.6) where there was an overarching
610 goal behind the design. This goal could be more or less playful. For example, *LearnSPORTtech* employed a yoga and
611 fitness studios, and *KOMPAN Workshop* resorted to the Athletic Experimentarium, a combination of a track and field
612 stadium, obstacle course, parkour installations, and a cross-fit area. Specific places were also important in open and
613 playful-oriented projects, like *DigiFys*, which focused on outdoor play environments. Plus, in VR-related projects, such
614 as *ACHIEVE*, *Diverging Squash* and *Astaire*, appropriate rooms with VR equipment were essential. The choice of location
615 was due to their relevance to the target application domain or the needs in logistics or materials to conduct the design
616 activity.

619 However, we also found that methods used more “generic” spaces, which were adapted by facilitators and designers
620 researchers for the activity at hand. For example, in *LearnSPORTtech*, activities were organised both in a room transformed
621 into a training space with basic yoga equipment such as yoga mats, and in the target place, a dedicated gym equipped
622 with weights, machines and mats. The former was chosen as it gave control and access to designers, e.g. it allowed
623

625 them to organise and change the space during the process, while the latter offered control and access over the process
626 to target users which were instructors and practitioners.

627 In a middle ground, *Super Trouper* used a school gym hall, which incorporated some physical training equipment
628 used during warm-ups—e.g. mats, balls, hoops, a vaulting horse, etc.—, and which was further equipped by the circus
629 instructors and co-designers with circus-specific equipment such as a tightwire, trapeze, *rola bola*, etc. Additionally, the
630 design research team incorporated the technology—multiple wearables—and research equipment like cameras.

631 Finally, *DigiFys* reported both its methods *DiF1* and *DiF2* being located outdoors and in public. While this was
632 necessary given the project's focus on designing and observing behaviour in playgrounds, it posed limitations to what
633 ideation activities could be done, and in particular, this required a more lightweight approach to facilitation.
634
635
636
637

638 5.2.2 *Virtual and Hybrid spaces.* Virtual space emerged as a category from the *Astaire* project and the *Ach1*, *Ach3*, *Ast2*,
639 *Ast3*, *Ast4*, *DiS1* and *S2M1* methods. Hybrid space emerged from *ACHIEVE*, *Astaire*, *Diverging Squash*, and *Online Course*
640 *in Embodied Interaction* as projects and from the *Ach3*, *Ast3*, *Ast4* and *DiS1* methods. Notice how these latter methods
641 appear in both categories. VR which emerged as a particular and distinctive space in the following projects: *ACHIEVE*,
642 *Diverging Squash*, *Astaire*, and *Sense2MakeSense*. The latter two focused more or as much on the physical than the
643 virtual space. In *Sense2MakeSense*, the physical space was used to leverage important sociospatial considerations to
644 design an immersive and multisensory experience for VR. In contrast, the design goal of *Astaire* was set in the hybrid
645 space: providing a fun and interesting play experience for a player in VR and out. Both projects involved both the
646 physical and virtual worlds.
647
648

649 In *Ast2*, off-the-shelf VR experiences and games were used to sensitize designers. Additionally, in *Ast4*, they worked
650 as design resources to help inspire, explore, and come up with interesting play ideas through transgression and re-
651 appropriation. In both the *ACHIEVE* and *Diverging Squash* projects, custom 3D environments were designed and used
652 for the activities. Some of these environments employed custom physics and behaviours, which required the added effort
653 of 3D modelling, programming, testing, setting up, and onboarding, and also the added requirements of appropriate
654 equipment and physical space. This is connected with the *Facilitation* (4.3.1) and *Planning and Logistics* (4.3.2) categories.
655
656

657 Projects using virtual spaces were also aware of and considered the role of the physical space. In some of them, the
658 simultaneous exploration of the physical space was intrinsic to their goals. For example, in *ACHIEVE* a hybrid space
659 was created by adding tracked physical shopping carts to the experience. This allowed the designers to employ tangibly
660 embodied feedback in the virtual environment while also developing a meaningful connection to the physical space
661 and collaborators. In this way, students outside VR would interact with students inside by aligning their physical and
662 virtual positions. Students were able to see their fellows' virtual perspectives on screens in the mixed-reality space.
663 Additionally, physical props such as different food types were used in the embodied improvisational interactions.
664
665

666 In other cases, the hybrid space emerged out of necessity, like in the *Online Course in Embodied Interaction*, a course
667 that needed to be conducted online due to COVID-19 pandemic restrictions but that otherwise would have benefitted
668 from participants being in the same space [61]. In that setting, individual participants connected to each other through
669 videoconferencing software but conducted the activities of the bodystorming—physical games, exploration of materials,
670 movements in space, etc.—from their own rooms at home. Students reported curating the space to be shown, which
671 gave them control over the presentation of such an intimate space. They felt the safety supported by their spaces and
672 the familiarity of objects in their space allowed them to engage and ideate in a straightforward manner. While the
673 physical space became the main place of bodily action, the online space became the place for social interaction, thus
674
675
676

677 creating a hybrid form of bodystorming. This approach integrated two of the method's main considerations, space and
678 social interaction, from different perspectives.
679

680 5.2.3 *Delimitation.* We found that the *delimitation* of a working space was a relevant consideration across methods in
681 our corpus, which we related to Goffman's concept of *frames*, and the concept of "*magic circle of play*" in game design
682 and game studies [18, 43]. Frames refer to social conventions and expectatio^s structuring and organizing our experience.
683 The *magic circle of play* refers to a special time and space created when playing that is governed by different rules and
684 understandings than in the everyday world [11, 43, 48]. In a similar way, embodied design methods seem to seek and
685 foster a distinctive frame set apart from ordinary life in which particular kinds of physical and social action that might
686 be weird or unusual in everyday contexts are sought and supported. This category emerged from *Ach1*, *Ach3*, *DiF1*,
687 *DiF2*, *DiS1* and *GIF1*; and also from the *GIFT* project in general.
688
689

690 At times, special spaces emerged as participants engaged in the design or play activity. For example, in *Astaire*, there
691 was an "invisible" but clearly demarcated round-shaped stage where players in and outside VR interacted. The rest of
692 the team stayed around acting as a participative audience, commenting and assisting when needed. Contrastingly, in
693 other projects, a good deal of attention was paid to boundary objects and marks helping physically demarcate areas to
694 focus attention, understanding, intention, and action [11]. Sometimes the limits of the space were physically indicated
695 through the arrangement of furniture and objects in the room, and sometimes by marking spaces on the floor with tape.
696 For example, in *GIFT*, several activities included pretending to be in a museum, but there was very limited space to
697 represent this museum. Delimiting the space with barriers representing different rooms served to signal what space was
698 standing in for the museum. Further, it encouraged a high level of social interaction between participants in a focused
699 space, rather than having them explore the whole space as such.
700
701

702 Delimitation of the physical space was at the core of the design goals of *DigiFys*. The designers not only wanted
703 to install interactive playground equipment but to create a space that would foster particular movements, paths and
704 behaviours between play stations. As such, landscape architects worked together with interaction designers, and natural
705 materials such as bushes, flower beds and paths were designed to delimit the interaction space, promoting movement
706 and social interaction in certain areas and limiting access to other areas. Finally, furniture emerged as a delimiting
707 spatial boundary in some projects, even if unintended. For example, in *ACHIEVE*, the designers expected the furniture
708 to be used by the students as a design material. However, students initially understood furniture as fixed elements in
709 the space.
710
711
712

713 5.2.4 *Room Size.* Considerations in delimitation were related to the space requirements regarding room sizes across
714 projects. These requirements first appeared in our corpus in *GIFT* and *Online Course in Embodied Interaction*, and in
715 *Ach3*, *Ast1*, *Ast2*, *Ast3*, *Ast4* and *DiF1*. For example, we found that *GIFT* reported having low requirements for space, and
716 *Astaire* reported needing only a big enough space to move and run around. In contrast, *ACHIEVE* reported needing a
717 large room for their bodystorming sessions due to their video recording setup and because of health measures regarding
718 COVID-19. *DigiFys*, by contrast, needed events to be run in authentic environments. Because the material and spatial
719 conditions were in focus for these studies, selecting authentic environments that were representative of different types
720 of places—a playground, in this case—became a central consideration. Similarly, *Super Trouper* required big halls—a
721 circus hall and a primary school physical education hall—because its design activities involved multiple large objects
722 and furniture such as mats and mattresses, trapezes, benches, and trellises that could not be placed elsewhere.
723
724
725

726 An interesting compromise regarding room size and engagement (5.1.7) comes from *Magic outFit*. The researchers
727 had a problem of interference caused by the two groups being in the same room. On the one hand, they wanted to
728

729 have all participants in the same space for sharing the materials and interacting, but on the other hand, the two groups
730 interacting with sound interfered with each other ideation process. Sometimes the room was too noisy and did not
731 allow participants to hear well some of the more subtle sounds, especially when the sound objects were applied to body
732 parts or space far from the ears, like close to the feet.
733

734 5.3 Objects

735 Objects emerged as one of the most prominent categories in the categorization. Most of the techniques relied on the use
736 of objects, which ranged from tangible, *physical objects* (5.3.1)—including a special focus on *cards* (5.3.2)—to *technologies*
737 of different sorts and fidelity (5.3.3). In the following, we cover this range and conclude by articulating two properties
738 and strategies around the use of objects: *affordances* (5.3.4) and *subversion* (5.3.5).
739

740
741
742 5.3.1 *Physical Objects*. Physical objects were very common across the projects. For instance, we found them in notes
743 regarding *Ach3*, *Ach6*, *Ast3*, *DiF2*, *KOM3*, *LSt1*, *LSt3*, *MoF4*, *S2M1*, *Tan2*, and *Tan3*, and also in the general descriptions of
744 *GIFT* and *LearnSPORTtech*. Physical objects were frequently described as common, simple, readily available, and low
745 cost, meaning that they were cheap to buy or create and that they did not need to be necessarily handled with special
746 care. We observed that because of how they were used, the objects were not destructively transformed, and when they
747 were, they were easy to replace. All of this made these objects malleable, adaptable, and highly transformative and
748 provided them with a strong resignification power. For example, as we mentioned earlier in the *Moving with objects*
749 sub-category (5.1.4) regarding *Ast4*, a toy club for playing pretence golf was momentarily torn apart: The clubhead was
750 removed and the shaft was used to extend the reach of the controllers.
751

752
753
754 Objects were key for divergent design as crucial prompts for ideation. They were often essential in multidisciplinary
755 contexts involving experts and novices. For example, both in *Magic outFit* and in *Online Course in Embodied Interaction*,
756 simple objects supporting different sensory qualities—textures, shapes, weights or sounds—, enabled people with and
757 without a technical background to generate ideas for future sensing and actuating technologies.
758

759 Idea materialization using objects played a strong role in convergent phases of ideation, involving building mock-ups.
760 These acted as “quick and dirty” *experience prototypes* [7] that allowed other participants to get a sense of the target
761 experience. For example, in *S2M1*, participants within a team used objects to individually come up with ideas for
762 multisensory immersive data representation. These ideas were then shared among the group and iterated together in
763 the rest of the activities from *Sense2MakeSense*. Additionally, objects were used to prototype the space in which the
764 activity would take place and explore ideas involving spatial elements. For example, in *Ast3*, cardboard boxes were used
765 to explore an idea involving a hybrid obstacle course with physical and digital obstacles.
766

767 We observed very deliberate decisions regarding what kinds of elements to bring to the methods that involved the
768 use of objects. For instance, objects were chosen for a given method due to one or more of the following: (1) tactile
769 or other sensory properties, (2) shape and size, (3) similarity to other objects, e.g. to create models at scale in *S2M2*,
770 (4) composability and how they could work as building blocks or crafting material, (5) interactive capabilities via
771 electronics or mechanics as a way to simulate future technology, (6) evocative properties, e.g. complex mechanisms to
772 inspire movement, (7) affordances—see below (5.3.4), (8) or availability and low cost.
773

774
775 In most cases, the objects that were used were common crafting materials and everyday objects, such as cardboard
776 boxes, tape, sticks, balls, toys, lights, toys, dolls, hand puppets, children’s musical instruments, glue guns, pipe cleaners,
777 cardboard, scissors, knife, sponges, modelling wax, foam cardboard, straws, plastic mugs, barbecue sticks, adhesive tape,
778 a stapler, a multi-head screwdriver, a Rubik’s cube, and small boxes with magnetic closing. Crafting materials were
779

781 essential to transform and resignify other kinds of objects. Brought-in objects were also domain-related, like sports
782 equipment in *KOMPAN Workshop* and *Super Trouper*. These objects were essential to support ideation considering
783 domain-specific practices.
784

785 5.3.2 *Cards*. Paper cards were a special class of physical objects used across many methods and in different ways. The
786 projects that used cards were *KOM5*, *LearnSPORTtech*, *Magic outFit*, *Sense2MakeSense* and *Super Trouper*. Specifically, the
787 methods from which this category emerged were *KOM3*, *KOM*, *KOM5*, *KOM6*, *MoF1*, *MoF2*, *MoF3*, *S2M2*, *S2M3*, *S2M4*
788 and *SuT4*.
789

790 Cards were used across projects to represent the following categories: (1) Actions or embodied core mechanics in
791 *Sense2MakeSense* and *KOMPAN Workshop*; (2) movement qualities in *KOMPAN Workshop* *Magic outFit*, *Sense2MakeSense*,
792 *Super Trouper*; (3) tactile or auditory qualities in *Magic outFit*; (4) body parts in *Sense2MakeSense*, (5) moods, existing
793 sports and games, technologies for interactivity (sensors and actuators) and physical activity contexts in *KOMPAN*
794 *Workshop*, (6) scenarios in *Super Trouper*; (7) design goals—e.g. barriers to physical activity to beat—in *Magic outFit*;
795 (8) and technology uses in practice in *Super Trouper*.
796

797 Regarding objectives, uses, and rules, the cards were used in the following ways across methods: (1) as prompts to
798 inspire and guide movement or experiences in general; (2) as visual reminders of possibilities and considerations useful
799 to design; (3) as aids in ideation and/or reflection; (4) as creative modifiers of current explorations; (5) and as a means of
800 documentation of design constructs.
801

802 We found that cards were used according to different mechanics. In some cases, the cards were used by the participants
803 as a way of getting a random design prompt. This was implemented through shuffling and drawing from a deck in
804 *KOMPAN Workshop*, or by scattering cards on the floor and picking up one in *Magic outFit*. This created some spatial
805 requirements to consider, as previously discussed in *Physical Space* (5.2.1). In other cases, the facilitators or participants
806 would choose the cards after careful consideration. For instance, in *Magic outFit*, participants chose the card with a
807 keyword that best described how they had felt, and in *KOMPAN Workshop*, designers added action modifiers that they
808 considered interesting in order to introduce variations. Additionally, there were occurrences where cards could be
809 modified on the spot. This happened in *Magic outFit* and *Sense2MakeSense*, which featured blank or wild cards for the
810 participants to fill in using sticky notes.
811

812 In several projects, card use was carefully timed in the schedule of design activities. For example, in *Magic outFit*,
813 cards depicting barriers to the physical activity set up the design goal by being used before the design and enactment
814 stages. As discussed above in 5.1.7, when card usage was combined with activities that engaged the whole body, some
815 friction would appear and movement creation would be hindered.
816

817 Regarding the design of the cards, they were often minimalistic containing few keywords and/or an image in the
818 form of a picture or an icon. The former would often have a defining and focusing character while the latter would be
819 used to inspire and evoke. Images came either from stock pictures and icons or from in-house designs. Cards often
820 featured categories identified either with colours or with printed icons. This allowed for quick identification in the
821 design activities. It is worth mentioning that cards in all projects were highly visual and assumed sighted participants.
822 Hence, without further modifications, the studied cards present an important accessibility barrier for participants with
823 visual impairments.
824

825 5.3.3 *Technologies*. Technology with different levels of fidelity, high or low, was present in several projects. This
826 category emerged from the *Astaire*, *Diverging Squash*, *Magic outFit*, *Super Trouper* and *Tangibles* projects in general, and
827 from the methods *Ach7*, *Ast3*, *Ast4*, *DiF1*, *KOM5*, *LSt1*, *LSt2*, *MoF3*, *S2M1*, *S2M2* and *SuT3* in particular. On the lowest end
828
829
830
831
832

833 of this technological fidelity range, the category of *fake tech* emerged: props or cards that represented and substituted a
834 specific device or functionality during the activity. Such elements were often used when the details of implementation
835 were still not known or needed, or when the cost in logistics for the actual technology would be prohibitive for the
836 given design stage. For example, in *KOM5*, a set of *technology cards*—see *Cards* above (5.3.2)—was used when building
837 physical mock-ups of the ideated interactive interventions. The focus was on experiencing the 1:1 scale of the mock-up
838 and not on testing the proposed interactivity.
839

840 In contrast, some projects included already working technology in their methods, such as *LearnSPORTtech*, *Magic*
841 *outFit* and *Super Trouper*. For instance, *LearnSPORTtech* used in *LSt1* and *LSt2* a series of wearables—Training Technology
842 Probes, or TTPs—that had been designed and implemented in the context of yoga and circus training, and then deployed
843 them in embodied explorations of weightlifting [54]. A special case we discussed above (5.2.2) is that, in some projects,
844 the technological element was central in the form of Virtual Reality. This was the case of projects including *ACHIEVE*,
845 *Astaire* and *Diverging Squash*, which employed VR both as the design goal and the vehicle to design. In *ACHIEVE*,
846 similarly to Weijdom [62], designers used VR to facilitate embedding virtual objects, adjusted lighting, sounds, and
847 video screens placed within the design of the virtual supermarket.
848
849
850
851

852 5.3.4 *Affordances*. A key element that we found when analyzing the use of objects across these movement-based
853 design methods was the concept of *affordance* [15, 20, 28]. In our empirics, affordances mostly referred to physical
854 actions allowed and invited by an object or environment [41]. Further, they had a strong focus on *materiality* and
855 material aspects. This category emerged from the projects of *Astaire*, *GIFT*, *KOMPAN Workshop* and *LearnSPORTtech*,
856 and the *Ach3*, *Ach4*, *Ach5*, *DiS1*, *MoF3*, *Tan2*, and *Tan3* methods.
857

858 Affordances were considered when selecting objects to bring to design activities for the actions—core mechanics—they
859 would possibly inspire. For example, in *Magic outFit*, designers included stress-release balls to invite explorations around
860 squeezing. Further, affordances emerged to reflect creative emergent behaviour in the design sessions supported by
861 objects, which was instrumental for design. For example, in *ACHIEVE* the participating students pushed a shopping
862 cart but could also physically sit in it while simultaneously puppeteer a virtual character in VR. Even when interacting
863 in a virtual space, such affordances steered the ideation process.
864
865

866
867 5.3.5 *Subversion*. Some methods were focused on finding new uses for objects and technologies that were designed
868 with a specific purpose: *subversion* emerged as a sub-category from *Ast3*, *Ast4*, *Ast5*, *KOM1*, *LSt1*, *LSt2*, *S2M1*, *SuT2*,
869 *SuT3*, *Tan1* and *Tan2*. These new uses were either the objective of the project in general or a way to aid in the ideation
870 process. We discussed above in *Technologies* (5.3.3) an instance of *LearnSPORTtech* that exemplified the former: embodied
871 explorations in *LSt1* leveraged Training Technology Probes that were initially developed for yoga [53] and that were
872 brought to weightlifting in order to find out new uses in this other physical training practice [56]. An example of
873 subversion aiding in the ideation process is *Ast4*, that, as we mentioned above in *Virtual and Hybrid spaces* (5.2.2), used
874 existing VR games as platforms to explore different game mechanics and affordances of VR equipment.
875
876
877
878

879 6 DISCUSSION

880
881 In this section we elaborate on action points based on the previous empirics and prior work, and then discuss our
882 general reflections, the limitations of the work, and future work.
883
884

6.1 Action Points

The following is a list of action points, insights and recommendations focused on the categories and sub-categories of the *Design Resources* section (5). We include references to other categories in the map (Fig 1) that are relevant to the recommendations of a given sub-category.

6.1.1 Movement.

Movement qualities (5.1.1).

- Focus on direct experience and explore targeted movement qualities, which can be fruitful in design [13]. While they might be common and present on a daily basis, they are not frequently at focus. Hence, it might be difficult for design researchers to work with them without experiencing them first-hand. Elucidate and carefully articulate those qualities first in close connection with the target application domain, users and practice.
- Body orientations and proxemics [9, 17, 21] might also go unnoticed despite being used on a daily basis [33]. They need to be explicitly brought to the forefront of design activities if they are meant to be used as design resources.

Body regions (5.1.2) and Perspectives (4.4.2).

- While movement-based design methods typically promote full body engagement, for some design activities it makes more sense to focus on particular body areas [19]. This is particularly the case when they are at focus on the target application domain (e.g. [35, 56]). Consider: *Which kind of bodily involvement are we designing for? Are there key body parts at focus?* If so, make them relevant during the design activities.
- Consider that body engagement and gestures may organically emerge as designers design, e.g. when gesturing to clarify a sketch or the usage of a prototype [2, 4]. However, if the aim is to use them as design resources, facilitation may help in this regard, instructing designers when to engage with particular kinds of gestures and body parts, and what for.

Contact (5.1.3), Design Phase (4.2.1), Facilitation (4.3.1) and Play (4.4.1).

- When physical contact is a target design goal (e.g. [26]), make sure you include it in all phases of the design process (4.2.1), from sensitizing activities to ideation and testing activities, so it is at the core of the resulting ideas.
- Physical contact does not come naturally to everyone. Hence, an important *facilitation* task (4.3.1) is to make sure one enables a safe space to explore physical contact. A good way of doing this might be through warm-up games and activities.

Moving with objects (5.1.4), Objects (5.3), and Constraints (5.1.5).

- When the target design focuses on designing technological artefacts to support particular movements objects can help to imagine them [37]. Of particular interest are their affordances (5.3.4), which can be explored, subverted (5.3.5), and extrapolated to that future design.

Constraints and Superpowers (5.1.5) and Perspectives (4.4.2).

- Explore the use of VR to impose or remove physical constraints on objects and the world, and to take perspectives and explore abilities beyond your own. This might entail engaging with already available worlds or creating worlds of your own.
- Make the most of constraints and “superpowers” facilitated by different perspectives (4.4.2), and be ready to shift between them.

Instrumental domain (5.1.6).

- Make sure to develop a thorough understanding of the instrumental values and goals in the targeted practice. Additionally, make sure to understand the targeted movement, its qualities and typical “rights” and “wrongs” (e.g. [56]). A good understanding of the practice can also help designers challenge the norms and disrupt the practice and its movements if that is desired.
- This will allow you to come up with design ideas that fit well and support the practice, those instrumental values, and the ecology of physical, digital, and sociospatial elements used in the practice.

Engagement (5.1.7), Facilitation (4.3.1), Planning and Logistics (4.3.2), and Design Phase (4.2.1).

- Engagement with movements, with others, with objects and the space, is essential in movement-based design activities and should be at the core of the design and facilitation of those activities. Engagement is a catalyst for idea generation [63], and it also supports group cohesion, in turn positively impacting the design process.
- In well-designed and facilitated movement-based activities engagement will naturally emerge. However, a caveat about engagement and energy, is that participants may not always notice the energy they are spending and how this might be affecting them. which we relate to a involving the moving and social body. Hence, it is important to manage the engagement of the group by alternating between activities with different energy levels, e.g. those in which the body is more intensely performing, with others less bodily demanding. Ideally, the aim is to arrive at a state of flow [10].

6.1.2 *Space.*

Physical Space (5.2.1), Planning and Logistics (4.3.2), and Facilitation (4.3.1).

- Dedicated spaces help *frame* [16] the activity as something different and separate from other activities, which can support engagement and a feeling of safety, both of which are essential in movement-based design methods. Private and separate spaces can particularly support participants to engage physically and socially by reducing exposure to access or sight from third parties. Otherwise, the latter may negatively affect how participants move and engage.
- Embodied design activities typically require non-trivial logistics and facilitation of physical and social elements. For example, facilitators have to bring physical objects and technologies for the methods and their documentation or arrange the space in particular ways. All this might be easier in a controlled space. However, you should always gauge your space needs in relation to the project goals. Domain-specific spaces are a great asset to the contextual emergence of ideas and to test and iterate ideas against a relatively realistic sociospatial context.

Virtual and Hybrid Space (5.2.2), Objects (5.3), Planning and Logistics (4.3.2), Facilitation (4.3.1).

- Projects focused on designing VR experiences can benefit from design activities heavily involving the physical world, like bodystorming. This brings the advantage of leveraging the already existing physical context and

1041 objects to include in the basket are e.g. toys, crafting materials, sports equipment, textiles, and affixing materials
1042 to place objects on the body.

- 1043 • Consider our list of kinds of objects (5.3.1) as a guideline for aspects to look for in your “bodystorming basket”
1044 including tactile properties, shape/size, similarity, composability, interactive capabilities, evocative properties,
1045 affordances, and cost.
- 1046 • Objects work both for focusing and disrupting attention. If working with objects is at the centre of the design
1047 activity, schedule time to explore them freely before using them to actually build or design. As something to
1048 consider as part of your facilitation tasks (4.3.1), you may design warm-up or sensitizing activities early in the
1049 session to familiarize participants with them (e.g. [38]).
- 1050 • Objects can work both for divergent and convergent *design phases* (4.2.1). They work great as prompts for
1051 ideation, allowing one to materialize and share ideas among people with different backgrounds and expertise.
1052 They can also work great in convergent stages, to refine, test, and share future experiences like “experience
1053 prototypes” [7].
1054
1055
1056

1057
1058 *Cards* (5.3.2), *Planning and Logistics* (4.3.2), *Facilitation* (4.3.1).

- 1059 • Cards can help participants engage with a broader design vocabulary and richer palette of considerations. They
1060 can be used for multiple purposes (5.3.2), ranging from prompting action, reminding possibilities, assisting in
1061 ideation and reflection, modifying current action, and *documenting* (4.3.3) designs and experiences.
- 1062 • Interacting with cards entails engaging physically in particular ways: e.g. bodily orienting towards the cards,
1063 handling and manipulating the cards, and paying attention towards them. Therefore, consider how the cards
1064 can be integrated within the broader movement-based activity. A possible strategy to include cards in embodied
1065 design activities involves turn-taking: engaging with cards prior to or after a main bodily engaging activity.
1066 Another strategy is through *facilitation* (4.3.1), where a person takes the primary role of handling the cards
1067 and making them available for others engaged in more physically-demanding activities. Hence the cards will
1068 primarily be used to assist with facilitation.
- 1069 • Creating ad-hoc card resources can be an intense design research activity regarding *facilitation* (4.3.1), *planning*
1070 and *logistics* (4.3.2). Make sure to build in time to design and iterate them along with people in the team.
1071
1072
1073
1074

1075
1076 *Technologies* (5.3.3), *Physical Objects* (5.3.1), *Planning and Logistics* (4.3.2), and *Facilitation* (4.3.1).

- 1077 • Simulate technologies using *physical objects* (5.3.1) in your “bodystorming bag”, or craft new ones with cardboard
1078 and paper. A person in the team can also pretend to be the technology using enactment (4.2.3) [37]. Alternatively,
1079 add gadgets (e.g. from bazaars, pet shops, children’s play stores) to your “bodystorming basket” that can help
1080 think about the interactivity and feedback of technology.
- 1081 • Deploying already existing and functional technology in any stage of development can allow designers to assess
1082 its potential, identify shortcomings that could lead to meaningful iterations, inspire thinking in new directions,
1083 or generate ideas for completely new technologies.
1084
1085

1086
1087 *Affordances* (5.3.4), *Subversion* (5.3.5), *Planning and Logistics* (4.3.2), and *Facilitation* (4.3.1).

- 1088 • When curating objects for your “bodystorming basket,” think about the affordances they support. This is well
1089 used in known interaction design methods, like interaction relabelling [12], where the recommendation is to
1090 use mechanical gadgets with moveable bits and pieces.
1091

- Dare to explore how to make the most of, but also subvert existing affordances of physical objects and technology (e.g. [12, 63, 64]). *Facilitation* (4.3.1) will be key in this regard, in particular, to support *estrangement* [63] i.e. turning the familiar (objects, actions...) upside-down, engaging with them as if they were extraordinary, or experienced for the very first time. This supports reflection on what we take for granted and can inspire interesting ideas.
- When the focus is on physical activity beyond hand manipulation, think broadly about how certain objects may support particular postures and bodily orientations [14] that might be of interest to the project.

6.2 General Reflections, Limitations and Future Work

Movement-based design methods exhibit properties that are less common in other forms of ideation. In particular, the physicality of these methods requires important considerations related to the bodily engagement of participants, as well as to space and materiality. This poses challenges and opportunities not seen in classical ideation activities. Therefore, those who have not experimented with these kinds of methods might find them intimidating. Above (2.1), we discussed related previous works that result in categorizations of movement-based design methods: Andersen et al. [1] and their typology of seven foci, Wilde et al. [63] using an analyzing framework based on estrangement, and Loke and Robertson [23] proposing a design methodology based on choreographic tools. Despite their relevance, we contend that these works are not an ideal entry point for the design researcher who wants to start using movement-based methods. Contrastingly, we provide a practical guide for them by focusing on surfacing tacit knowledge from a group of experienced researchers. We focused on the area of Design Resources (5) because of how practical they are. Additionally, through the Action Points (6.1) we tightly connected the design resources to the categories of *Facilitation* (4.3.1) and *Planning and Logistics* (4.3.2). In this way, novices can find a clear route to start experimenting with movement-based design methods.

Our Methodology (3) used a bottom-up approach, was practice-based, and led to a comprehensive set of results. We contend that our results have validity due to the following considerations. First, our original corpus of data came from several projects of different authors and the reported movement-based design methods that they used in practice. During the initial characterization process, we used perspectives both from two experts in the field and from two students in training. This allowed for the emergence of characteristics relevant to different levels of expertise. Additionally, we worked with a loose set of guidelines so that the characteristics that emerged would tend to be divergent. We decided on the names and boundaries of emerging categories and subcategories based on consensus combining these different levels of expertise. Finally, the insights, action points and recommendations we share are based on these empirics and are tied to previous work.

An important limitation of our work is that we only focused on one group of categories. Even though we attempted to connect the Action Points (6.1) with other categories, there is still work to do to expand on all of them and their implications. In this way, our work offers a “palette” of possibilities that we acknowledge are not exhaustive or definitive. Additionally, we articulated the action points based on our tacit knowledge and references. They worked for us, but their generative capacity for others needs to be proven. Future work can expand or challenge what we presented here. Finally, note that we acknowledge the limitation of our corpus, as it is not necessarily representative of *all* movement-based design processes. We argue that it being part of an international design research consortium with a focus on movement-based design is illustrative of different approaches to these methods, but we recognize that having started from another corpus of data we could have obtained a different set of categories and action points.

7 CONCLUSION

This work adds to the current Interaction Design and HCI body of works on movement-based design methods (e.g. [1, 23, 36, 37, 46, 63]) providing a practical guide for both novice designers as well as seasoned ones interested in them. We developed an empirically-based characterization of design resources as employed in movement-based design methods. The relevance of this work is in its practical focus, developing design resources in embodied design methods with illustrative examples that can be of interest to the reader. We contribute action points that we argue are suitable for use in practice. These can be considered design recommendations that can help others think about or get started with movement-based design methods in their own practice.

To the best of our knowledge, there is no existing work on embodied design methods that does this task of “lowering the threshold” for getting started with these methods, which can be intimidating for novices. Hence, we contend that it is novice designers looking to get started with movement-based design methods the ones who might benefit the most from our contributions. The seasoned designer will identify that the action points are not *groundbreaking*—rather, they encapsulate and articulate existing tacit knowledge of embodied design. However, we also believe that seasoned designers can find utility in our work: using our categories as a live palette of possibilities that can inspire them, and as a document to help them argue for or against particular design choices.

REFERENCES

- [1] Rasmus Vestergaard Andersen, Søren Lekbo, René Engelhardt Hansen, and Lars Elbæk. 2020. Movement-Based Design Methods: A Typology for Designers. *European Conference on Games Based Learning (2020)*, 637–645. XII, XIV, XVI. <https://doi.org/10.34190/GBL.20.082> Num Pages: 637-645, XII, XIV, XVI Place: Reading, United Kingdom Publisher: Academic Conferences International Limited.
- [2] Mattias Arvola and Henrik Artman. 2007. Enactments in Interaction Design: How Designers Make Sketches Behave. *Artifact* 1, 2 (2007), 106–119. <https://doi.org/10.1080/17493460601117272>
- [3] Jon Back, Laia Turmo Vidal, Annika Waern, Susan Paget, and Eva-Lotta Sallnäs Pysander. 2018. Playing Close to Home: Interaction and Emerging Play in Outdoor Play Installations. In *Proceedings of the 2018 CHI Conference on Human Factors in Computing Systems (CHI '18)*. Association for Computing Machinery, New York, NY, USA, 1–11. <https://doi.org/10.1145/3173574.3173730>
- [4] Mathilde M. Bekker, Judith S. Olson, and Gary M. Olson. 1995. Analysis of gestures in face-to-face design teams provides guidance for how to use groupware in design. In *Proceedings of the 1st conference on Designing interactive systems: processes, practices, methods, & techniques (DIS '95)*. Association for Computing Machinery, New York, NY, USA, 157–166. <https://doi.org/10.1145/225434.225452>
- [5] Genevieve Bell, Mark Blythe, and Phoebe Sengers. 2005. Making by Making Strange: Defamiliarization and the Design of Domestic Technologies. *ACM Trans. Comput.-Hum. Interact.* 12, 2 (jun 2005), 149–173. <https://doi.org/10.1145/1067860.1067862>
- [6] Johan Blomkvist and Stefan Holmlid. 2010. Service Prototyping According to Service Design Practitioners.
- [7] Marion Buchenau and Jane Fulton Suri. 2000. Experience prototyping. In *Proceedings of the 3rd conference on Designing interactive systems: processes, practices, methods, and techniques (DIS '00)*. Association for Computing Machinery, New York, NY, USA, 424–433. <https://doi.org/10.1145/347642.347802>
- [8] Colin Burns, Eric Dishman, William Verplank, and Bud Lassiter. 1994. Actors, hairdos & videotape—informance design. In *Conference Companion on Human Factors in Computing Systems (CHI '94)*. Association for Computing Machinery, New York, NY, USA, 119–120. <https://doi.org/10.1145/259963.260102>
- [9] T. Matthew Ciolek. 1983. The proxemics lexicon: A first approximation. *Journal of Nonverbal Behavior* 8, 1 (Sep 1983), 55–79. <https://doi.org/10.1007/BF00986330>
- [10] Mihaly Csikszentmihalyi. 2008. *Flow: The Psychology of Optimal Experience* (1 edition ed.). Harper Perennial Modern Classics, New York.
- [11] Sebastian Deterding. 2009. The Game Frame: Systemizing a Goffmanian Approach to Video Game Theory.
- [12] J. P. Djajadiningrat, W. W. Gaver, and J. W. Fres. 2000. Interaction relabelling and extreme characters: methods for exploring aesthetic interactions. In *Proceedings of the 3rd conference on Designing interactive systems: processes, practices, methods, and techniques (DIS '00)*. Association for Computing Machinery, New York, NY, USA, 66–71. <https://doi.org/10.1145/347642.347664>
- [13] Sarah Fdili Alaoui, Baptiste Caramiaux, Marcos Serrano, and Frédéric Bevilacqua. 2012. Movement Qualities as Interaction Modality. In *Proceedings of the Designing Interactive Systems Conference (Newcastle Upon Tyne, United Kingdom) (DIS '12)*. Association for Computing Machinery, New York, NY, USA, 761–769. <https://doi.org/10.1145/2317956.2318071>
- [14] Pedro Ferreira and Kristina Höök. 2011. Bodily Orientations Around Mobiles: Lessons Learnt in Vanuatu. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems (CHI '11)*. ACM, New York, NY, USA, 277–286. <https://doi.org/10.1145/1978942.1978981>

- 1197 [15] William W. Gaver. 1991. Technology Affordances. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems (CHI '91)*. ACM, New York, NY, USA, 79–84. <https://doi.org/10.1145/108844.108856>
- 1198 [16] Erving Goffman. 1986. *Frame Analysis: An Essay on the Organization of Experience*. Northeastern University Press. Google-Books-ID: xK2Jl4rspBcC.
- 1199 [17] Edward Twitchell Hall. 1966. *The hidden dimension*. Doubleday, Garden City, NY, USA.
- 1200 [18] Johan Huizinga. 1955. *Homo Ludens: A Study of the Play-Element in Culture*. Beacon Press, Boston, MA, USA.
- 1201 [19] Kristina Höök. 2018. *Designing with the Body: Somaesthetic Interaction Design*. MIT Press. Google-Books-ID: 9oZ0DwAAQBAJ.
- 1202 [20] Victor Kaptelinin and Bonnie Nardi. 2012. Affordances in HCI: Toward a Mediated Action Perspective. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems (CHI '12)*. ACM, New York, NY, USA, 967–976. <https://doi.org/10.1145/2207676.2208541>
- 1203 [21] Adam Kendon. 2010. *Spacing and Orientation in Co-present Interaction*. Springer Berlin Heidelberg, Berlin, Heidelberg, 1–15. https://doi.org/10.1007/978-3-642-12397-9_1
- 1204 [22] Judith Ley-Flores, Laia Turmo Vidal, Nadia Berthouze, Aneesa Singh, Frédéric Bevilacqua, and Ana Tajadura-Jiménez. 2021. SoniBand: Understanding the Effects of Metaphorical Movement Sonifications on Body Perception and Physical Activity. In *Proceedings of the 2021 CHI Conference on Human Factors in Computing Systems (CHI '21)*. Association for Computing Machinery, New York, NY, USA, 1–16. <https://doi.org/10.1145/3411764.3445558>
- 1205 [23] Lian Loke and Toni Robertson. 2013. Moving and making strange: An embodied approach to movement-based interaction design. *ACM Transactions on Computer-Human Interaction* 20, 1 (April 2013), 7:1–7:25. <https://doi.org/10.1145/2442106.2442113>
- 1206 [24] Alexander Hvidbjerg Kjær Lund, Amalie Finnemann Sørensen, Lars Elbæk, and Maximus D. Kaos. 2021. Insights from design processes used in developing exergames. In *15th European Conference on Game Based Learning, ECGBL 2021*. Dechema eV, 490–498.
- 1207 [25] Nicolai Marquardt and Saul Greenberg. 2015. *Proxemic Interactions: From Theory to Practice*. Morgan & Claypool Publishers, San Rafael, CA, USA. <http://ieeexplore.ieee.org/xpl/articleDetails.jsp?arnumber=7056253>
- 1208 [26] Joe Marshall, Conor Linehan, and Adrian Hazzard. 2016. Designing Brutal Multiplayer Video Games. In *Proceedings of the 2016 CHI Conference on Human Factors in Computing Systems (CHI '16)*. Association for Computing Machinery, New York, NY, USA, 2669–2680. <https://doi.org/10.1145/2858036.2858080>
- 1209 [27] Louise Petersen Matjeka. 2020. The Move Maker - Exploring Bodily Preconditions and Surrounding Conditions for Bodily Interactive Play. In *Extended Abstracts of the 2020 CHI Conference on Human Factors in Computing Systems (Honolulu, HI, USA) (CHI EA '20)*. Association for Computing Machinery, New York, NY, USA, 1–6. <https://doi.org/10.1145/3334480.3381652>
- 1210 [28] Joanna McGrenere and Wayne Ho. 2000. Affordances: Clarifying and Evolving a Concept. (2000), 8.
- 1211 [29] Joshua McVeigh-Schultz and Katherine Isbister. 2021. The Case for “Weird Social” in VR/XR: A Vision of Social Superpowers Beyond Meatspace. In *Extended Abstracts of the 2021 CHI Conference on Human Factors in Computing Systems (Yokohama, Japan) (CHI EA '21)*. Association for Computing Machinery, New York, NY, USA, Article 17, 10 pages. <https://doi.org/10.1145/3411763.3450377>
- 1212 [30] Florian Mueller, Martin R. Gibbs, Frank Vetere, and Darren Edge. 2014. Supporting the Creative Game Design Process with Exertion Cards. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems (Toronto, Ontario, Canada) (CHI '14)*. Association for Computing Machinery, New York, NY, USA, 2211–2220. <https://doi.org/10.1145/2556288.2557272>
- 1213 [31] Elena Márquez Segura. 2016. *Embodied core mechanics. Designing for movement-based co-located play*. Ph. D. Dissertation. Uppsala University. <http://uu.diva-portal.org/smash/record.jsf?pid=diva2%3A920694&dsid=4668>
- 1214 [32] Elena Márquez Segura, Katja Rogers, Anna Lisa Martin-Niedecken, Stephan Niedecken, and Laia Turmo Vidal. 2021. Exploring the Design Space of Immersive Social Fitness Games: The ImSoFit Games Model. In *Proceedings of the 2021 CHI Conference on Human Factors in Computing Systems (CHI '21)*. Association for Computing Machinery, New York, NY, USA, 1–14. <https://doi.org/10.1145/3411764.3445592>
- 1215 [33] Elena Márquez Segura, Katja Rogers, Anna Lisa Martin-Niedecken, Stephan Niedecken, and Laia Turmo Vidal. 2021. Exploring the Design Space of Immersive Social Fitness Games: The ImSoFit Games Model. In *Proceedings of the 2021 CHI Conference on Human Factors in Computing Systems (CHI '21)*. Association for Computing Machinery, New York, NY, USA, 1–14. <https://doi.org/10.1145/3411764.3445592>
- 1216 [34] Elena Márquez Segura, Katta Spiel, Karin Johansson, Jon Back, Z. O. Toups, Jessica Hammer, Annika Waern, Theresa Jean Tanenbaum, and Katherine Isbister. 2019. Larping (Live Action Role Playing) as an Embodied Design Research Method. In *Companion Publication of the 2019 on Designing Interactive Systems Conference 2019 Companion (DIS '19 Companion)*. Association for Computing Machinery, New York, NY, USA, 389–392. <https://doi.org/10.1145/3301019.3320002>
- 1217 [35] Elena Márquez Segura, Laia Turmo Vidal, Luis Parrilla Bel, and Annika Waern. 2019. Circus, Play and Technology Probes: Training Body Awareness and Control with Children. In *Proceedings of the 2019 on Designing Interactive Systems Conference (DIS '19)*. Association for Computing Machinery, New York, NY, USA, 1223–1236. <https://doi.org/10.1145/3322276.3322377>
- 1218 [36] Elena Márquez Segura, Laia Turmo Vidal, and Asreen Rostami. 2016. Bodystorming for movement-based interaction design. *Human Technology* 12, 2 (Nov. 2016), 193–251. <https://doi.org/10.17011/ht/urn.201611174655> Number: 2.
- 1219 [37] Elena Márquez Segura, Laia Turmo Vidal, Asreen Rostami, and Annika Waern. 2016. Embodied Sketching. In *Proceedings of the 2016 CHI Conference on Human Factors in Computing Systems (CHI '16)*. Association for Computing Machinery, New York, NY, USA, 6014–6027. <https://doi.org/10.1145/2858036.2858486>
- 1220 [38] Elena Márquez Segura, Laia Turmo Vidal, Annika Waern, Jared Duval, Luis Parrilla Bel, and Ferran Altabriba Bertran. 2021. Physical Warm-up Games: Exploring the Potential of Play and Technology Design. In *Proceedings of the 2021 CHI Conference on Human Factors in Computing Systems (CHI '21)*. Association for Computing Machinery, New York, NY, USA, 1–14. <https://doi.org/10.1145/3411764.3445163>

- 1249 [39] Elena Márquez Segura, Annika Waern, Luis Parrilla Bel, and Laia Turmo Vidal. 2019. Super Trouper: The Playful Potential of Interactive Circus
1250 Training. In *Extended Abstracts of the Annual Symposium on Computer-Human Interaction in Play Companion Extended Abstracts (CHI PLAY '19*
1251 *Extended Abstracts)*. Association for Computing Machinery, New York, NY, USA, 511–518. <https://doi.org/10.1145/3341215.3356282>
- 1252 [40] Elena Márquez Márquez Segura, Laia Turmo Vidal, Luis Parrilla Bel, and Annika Waern. 2019. Using Training Technology Probes in Bodystorming
1253 for Physical Training. In *Proceedings of the 6th International Conference on Movement and Computing (MOCO '19)*. Association for Computing
1254 Machinery, New York, NY, USA, 1–8. <https://doi.org/10.1145/3347122.3347132>
- 1255 [41] Don Norman. 1988. *The Psychology Of Everyday Things* (1st edition ed.). Basic Books, New York.
- 1256 [42] Antti Oulasvirta, Esko Kurvinen, and Tomi Kankainen. 2003. Understanding contexts by being there: case studies in bodystorming. *Personal and*
1257 *Ubiquitous Computing* 7, 2 (July 2003), 125–134. <https://doi.org/10.1007/s00779-003-0238-7>
- 1258 [43] Katie Salen and Eric Zimmerman. 2003. *Rules of Play: Game Design Fundamentals*. The MIT Press, Cambridge, MA, USA.
- 1259 [44] Thecla Schiphorst. 2007. Really, Really Small: The Palpability of the Invisible. In *Proceedings of the 6th ACM SIGCHI Conference on Creativity &*
1260 *Cognition* (Washington, DC, USA) (C&C '07). Association for Computing Machinery, New York, NY, USA, 7–16. <https://doi.org/10.1145/1254960.1254962>
- 1261 [45] Thecla Schiphorst. 2011. Self-evidence: applying somatic connoisseurship to experience design. In *CHI '11 Extended Abstracts on Human Factors in*
1262 *Computing Systems (CHI EA '11)*. Association for Computing Machinery, New York, NY, USA, 145–160. <https://doi.org/10.1145/1979742.1979640>
- 1263 [46] Dennis Schleicher, Peter Jones, and Oksana Kachur. 2010. Bodystorming as embodied designing. *Interactions* 17, 6 (Nov. 2010), 47–51. <https://doi.org/10.1145/1865245.1865256>
- 1264 [47] Kristian T. Simsarian. 2003. Take it to the next stage: the roles of role playing in the design process. In *CHI '03 Extended Abstracts on Human Factors*
1265 *in Computing Systems (CHI EA '03)*. Association for Computing Machinery, New York, NY, USA, 1012–1013. <https://doi.org/10.1145/765891.766123>
- 1266 [48] Jaakko Stenros. 2014. In Defence of a Magic Circle: The Social, Mental and Cultural Boundaries of Play. *Transactions of the Digital Games Research*
1267 *Association* 1 (02 2014). <https://doi.org/10.26503/todigra.v1i2.10>
- 1268 [49] Dag Svanæs and Louise Barkhuus. 2020. The Designer's Body as Resource in Design: Exploring Combinations of Point-of-view and Tense. In
1269 *Proceedings of the 2020 CHI Conference on Human Factors in Computing Systems (CHI '20)*. Association for Computing Machinery, New York, NY,
1270 USA, 1–13. <https://doi.org/10.1145/3313831.3376430>
- 1271 [50] Ana Tajadura-Jiménez, Maria Basia, Ophelia Deroy, Merle Fairhurst, Nicolai Marquardt, and Nadia Bianchi-Berthouze. 2015. As Light as your
1272 Footsteps: Altering Walking Sounds to Change Perceived Body Weight, Emotional State and Gait. In *Proceedings of the 33rd Annual ACM*
1273 *Conference on Human Factors in Computing Systems (CHI '15)*. Association for Computing Machinery, New York, NY, USA, 2943–2952. <https://doi.org/10.1145/2702123.2702374>
- 1274 [51] Jakob Tholander. 2014. Using body cards in a design process for going from bodily experiences to design. In *Proceedings of the 28th International*
1275 *BCS Human Computer Interaction Conference on HCI 2014 - Sand, Sea and Sky - Holiday HCI (BCS-HCI '14)*. BCS, Swindon, GBR, 141–150. <https://doi.org/10.14236/ewic/hci2014.15>
- 1276 [52] Vasiliki Tsaknaki, Madeline Balaam, Anna Ståhl, Pedro Sanches, Charles Windlin, Pavel Karpashevich, and Kristina Höök. 2019. Teaching Soma
1277 Design. In *Proceedings of the 2019 on Designing Interactive Systems Conference (DIS '19)*. Association for Computing Machinery, New York, NY, USA,
1278 1237–1249. <https://doi.org/10.1145/3322276.3322327>
- 1279 [53] Laia Turmo Vidal, Elena Márquez Segura, Christopher Boyer, and Annika Waern. 2019. Enlightened Yoga: Designing an Augmented Class with
1280 Wearable Lights to Support Instruction. In *Proceedings of the 2019 on Designing Interactive Systems Conference (DIS '19)*. Association for Computing
1281 Machinery, New York, NY, USA, 1017–1031. <https://doi.org/10.1145/3322276.3322338>
- 1282 [54] Laia Turmo Vidal, Elena Márquez Segura, Luis Parrilla Bel, and Annika Waern. 2020. Training Technology Probes Across Fitness Practices: Yoga,
1283 Circus and Weightlifting. In *Extended Abstracts of the 2020 CHI Conference on Human Factors in Computing Systems (CHI EA '20)*. Association for
1284 Computing Machinery, New York, NY, USA, 1–8. <https://doi.org/10.1145/3334480.3382862>
- 1285 [55] Laia Turmo Vidal, Elena Márquez Segura, and Annika Waern. 2018. Sensory bodystorming for collocated physical training design. In *Proceedings of*
1286 *the 10th Nordic Conference on Human-Computer Interaction (NordiCHI '18)*. Association for Computing Machinery, New York, NY, USA, 247–259.
1287 <https://doi.org/10.1145/3240167.3240224>
- 1288 [56] Laia Turmo Vidal, Hui Zhu, and Abraham Riego-Delgado. 2020. BodyLights: Open-Ended Augmented Feedback to Support Training Towards
1289 a Correct Exercise Execution. In *Proceedings of the 2020 CHI Conference on Human Factors in Computing Systems*. Association for Computing
1290 Machinery, New York, NY, USA, 1–14. <https://doi.org/10.1145/3313831.3376268>
- 1291 [57] Robby van Delden. 2011. *Design of therapeutic TagTile games for children with unilateral spastic cerebral paresis*. Master's thesis. Univeristy of
1292 Twente, Enschede, the Netherlands. <http://essay.utwente.nl/61135/>
- 1293 [58] Robby van Delden, Pauline Aarts, and Betsy van Dijk. 2012. Design of Tangible Games for Children Undergoing Occupational and Physical Therapy.
1294 In *Entertainment Computing - ICEC 2012 (Lecture Notes in Computer Science)*, Marc Herrlich, Rainer Malaka, and Maic Masuch (Eds.). Springer,
1295 Berlin, Heidelberg, 221–234. https://doi.org/10.1007/978-3-642-33542-6_19
- 1296 [59] Annika Waern and Jon Back. 2017. Activity As the Ultimate Particular of Interaction Design. In *Proceedings of the 2017 CHI Conference on Human*
1297 *Factors in Computing Systems (CHI '17)*. ACM, New York, NY, USA, 3390–3402. <https://doi.org/10.1145/3025453.3025990>
- 1298 [60] Annika Waern, Paulina Rajkowska, Karin B. Johansson, Jon Bac, Jocelyn Spence, and Anders Sundnes Løvlie. 2020. Sensitizing Scenarios: Sensitizing
1299 Designer Teams to Theory. In *Proceedings of the 2020 CHI Conference on Human Factors in Computing Systems*. Association for Computing Machinery,
1300 New York, NY, USA, 1–13. <https://doi.org/10.1145/3313831.3376620>

- 1301 [61] Annika Waern, Alessandra Semeraro, Nikolay Georgiev, Ruochoen Wang, Andreas Bergqvist, Jon Back, Shuang Feng, Karan Manjunath, and Laia
1302 Turmo Vidal. 2021. Moving Embodied Design Education Online.: Experiences from a Course in Embodied Interaction during the COVID-19
1303 Pandemic. In *Extended Abstracts of the 2021 CHI Conference on Human Factors in Computing Systems (CHI EA '21)*. Association for Computing
1304 Machinery, New York, NY, USA, 1–5. <https://doi.org/10.1145/3411763.3451787>
- 1305 [62] Joris Weijdom. 2022. Performative prototyping in collaborative mixed reality environments: an embodied design method for ideation and development
1306 in virtual reality.. In *Sixteenth International Conference on Tangible, Embedded, and Embodied Interaction (TEI '22)*. Association for Computing
1307 Machinery, New York, NY, USA, 1–13. <https://doi.org/10.1145/3490149.3501316>
- 1308 [63] Danielle Wilde, Anna Vallgård, and Oscar Tomico. 2017. Embodied Design Ideation Methods: Analysing the Power of Estrangement. In *Proceedings*
1309 *of the 2017 CHI Conference on Human Factors in Computing Systems (CHI '17)*. Association for Computing Machinery, New York, NY, USA, 5158–5170.
1310 <https://doi.org/10.1145/3025453.3025873>
- 1311 [64] Zhuoming Zhou, Elena Márquez Segura, Jared Duval, Michael John, and Katherine Isbister. 2019. Astaire: A Collaborative Mixed Reality Dance
1312 Game for Collocated Players. In *Proceedings of the Annual Symposium on Computer-Human Interaction in Play (CHI PLAY '19)*. Association for
1313 Computing Machinery, New York, NY, USA, 5–18. <https://doi.org/10.1145/3311350.3347152>
- 1314
- 1315
- 1316
- 1317
- 1318
- 1319
- 1320
- 1321
- 1322
- 1323
- 1324
- 1325
- 1326
- 1327
- 1328
- 1329
- 1330
- 1331
- 1332
- 1333
- 1334
- 1335
- 1336
- 1337
- 1338
- 1339
- 1340
- 1341
- 1342
- 1343
- 1344
- 1345
- 1346
- 1347
- 1348
- 1349
- 1350
- 1351
- 1352